

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1-16. (Cancelled).

17. (Currently Amended) A method for transmitting messages in a multi-node network, comprising:

storing a fixed-byte format message ~~with any~~ including a plurality of characters each represented by a fixed number of bytes;

converting the fixed-byte format message into a multibyte format message ~~with any including~~ characters represented by ~~one or more~~ various numbers of bytes, depending on the character;

obtaining an actual length of the multibyte format message; ~~and~~  
packaging the information reflecting the actual length of the multibyte format message with the multibyte format message; and

transmitting the packaged information and ~~reflecting the actual length of the multibyte format message with the~~ multibyte format message to a network node[[.]] in a HTTP request.

18. (Previously Presented) The method of claim 17, wherein converting further comprises translating each character in the fixed-byte format message according to an UTF-8 encoding format.

19. (Cancelled)

20. (Currently Amended) A computer readable medium containing instructions for controlling a computer to perform a method for transmitting messages in a multi-node network, the method comprising:

storing a fixed-byte format message ~~with any~~ including a plurality of characters each represented by a fixed number of bytes;

converting the fixed-byte format message into a multibyte format message ~~with any~~ including characters represented by ~~one or more~~ various numbers of bytes, depending on the character;

obtaining an actual length of the multibyte format message; and  
packaging the information reflecting the actual length of the multibyte format message with the multibyte format message; and

transmitting the packaged information and ~~reflecting the actual length of the multibyte format message with the~~ multibyte format message to a network node~~[[.]]~~ in a HTTP request.

21. (Previously Presented) The computer readable medium of claim 20, wherein converting further comprises translating each character in the fixed-byte format message according to an UTF-8 encoding format.

22. (Cancelled)

23. (Currently Amended) An apparatus for transmitting messages in a multi-node network, the apparatus comprising:

a memory configured to store a fixed-byte format message ~~with any~~ including a plurality of characters each represented by a fixed number of bytes;

a processor configured to convert the fixed-byte format message into a multibyte format message ~~with any~~ including characters represented by ~~one or more~~ various numbers of bytes, depending on the character, and to obtain an actual length of the multibyte format message; and

a transmitter configured to transmit information reflecting the actual length of the multibyte format message with the multibyte format message to a network node~~[[.]]~~ in a HTTP request.

24. (Previously Presented) The apparatus of claim 23, wherein the processor is further configured to translate each character in the fixed-byte format message according to an UTF-8 encoding format.

25. (Cancelled)

26. (Currently Amended) A system for transmitting messages in a multi-node network, the system comprising:

means for storing a fixed-byte format message ~~with any~~ including a plurality of characters each represented by a fixed number of bytes;

means for converting the fixed-byte format message into a multibyte format message ~~with any~~ including characters represented by ~~one or more~~ various numbers of bytes, depending on the character;

means for obtaining an actual length of the multibyte format message; ~~and~~

means for packaging the information reflecting the actual length of the multibyte format message with the multibyte format message; and

means for transmitting the packaged information and ~~reflecting the actual length of the multibyte format message with the~~ multibyte format message to a network node in a HTTP request.

27. (Previously Presented) The system of claim 26, wherein the means for converting further comprises means for translating each character in the fixed-byte format message according to an UTF-8 encoding format.

28. (Cancelled)